

## **CERTIFICATE OF ANALYSIS**

## 1. Identification

Catalogue Number P509305

Lot Number 23-JQW-177-1

**Product Name** 

Pirlimycin Hydrochloride

Synonyms

Pirsue; U 57930E; (2S-cis)-methyl 7-Chloro-6,7,8-trideoxy-6-[[(4-ethyl-2-piperidinyl) carbonyl]amino]-1-thio-L-threo-α-D-galacto-octopyranoside Monohydrochloride;

**CAS Number** 

Solubility 78822-40-9 DMSO (Slightly), Methanol

(Slightly), Water (Slightly)

Molecular Formula

Source of Product Synthetic

C<sub>17</sub>H<sub>31</sub>CIN<sub>2</sub>O<sub>5</sub>S•xHCl

Molecular Weight **Purity** 410.96+x(36.46) 98%

2. Warnings

Hygroscopic

3. Analytical Information

**Structure** 

**Shipping Condition** 

This Product Is Stable To Be Shipped At Room

Temperature

**Long Term Storage Conditions** 

-20°C

| <u>Tests</u>       | <u>Specifications</u>    | Results                       |
|--------------------|--------------------------|-------------------------------|
| Appearance         | White to Off-White Solid | White to Off-White Solid      |
| NMR                | Conforms to Structure    | Conforms                      |
| Elemental Analysis | Conforms                 | %C: 44.74, %H: 7.28, %N: 5.85 |
| HPLC Purity        | Report Result            | 99.05% (ELSD)                 |
| MS                 | Conforms to Structure    | Conforms                      |
| Chloride Content   | Report Result            | 7.4%                          |
| Specific Rotation  | Report Result            | +221.0° (c = 0.1, Methanol)   |

## Additional Information

N/A

Purity is based on the analytical results of the tests performed. NMR and Elemental Analysis (if available) may have an accuracy of ± 2%. Isotopic purity is based on mass distribution observed.

The contents of the specifications are subject to change without advance notice, and the specification values displayed here are the most up to date values.

4. Signatures

Reviewed by Reviewed by C of A Approved by **Test Date Retest Date** 3/21/2024 3/19/2028

Sarbjeet Kaur Chanell Chu Toni Rantanen Product Quality Specialist Quality Assurance Associate Manager, Quality Assurance

20 Martin Ross Ave., Toronto, ON. M3J 2K8 Canada Tel: (416) 665-9696 E-mail: Orders.TRC@LGCGroup.com Website: www.trc-canada.com