

CERTIFICATE OF ANALYSIS

20 Martin Ross Avenue, North York, ON, M3J 2K8, CANADA Tel: (416) 665-9696, Fax: (416) 665-4439

Email:orders.trc@lgcgroup.com Website: www.trc-canada.com

1. Identification

Product:

Structure:

Catalogue M314985 CAS 26172-54-3 Number: 26172-54-3

2-Methyl-4-isothiazolin-3-one

Hydrochloride

Synonym: 2-Methyl-2H-isothiazol-3-one; 2-Methyl-

3(2H)-isothiazolone Hydrochloride; 2-Methyl-3-isothiazolone Hydrochloride; 2-Methyl-4-isothiazolin-3-one Hydrochloride; 2-Methyl-4-isothiazoline-3-ketone Hydrochloride; 2-Methyl-4-isothiazoline-3-one Hydrochloride; KB 838 Hydrochloride; Kathon CG 243 Hydrochloride; Kordek 50 Hydrochloride;

Kordek 50C Hydrochloride; Kordek 573F Hydrochloride; Kordek MLX Hydrochloride; MIT Hydrochloride; MIT (biocide)

Hydrochloride; Methylisothiazolinone Hydrochloride; Microc

Molecular Formula:

C₄H₆CINOS

Molecular weight:

151.61

Source of Product:

N/A

Solubility:

DMSO (Slightly), Methanol

(Slightly)

Lot 711623418-1-1 Purity: 98%

Shipping This Product Is Stable To Be Storage

Shipping This Product Is Stable To Be **Storage Condition:** Shipped At Room Temperature **Storage Condition:** 4°C

2. Warning

Warning 1: Warning 2: Warning 3:

HCI

3. Analytical Information

Tests: Specifications: Results:

Elemental Analysis Conforms %C: 29.27, %H: 4.41, %N: 9.04

Appearance White to Off-White Solid White to Off-White Solid

HPLC Purity Report Result 99.89% (275 nm)

NMRConforms to StructureConformsMSConforms to StructureConformsChloride ContentReport Result21.3%

Water Content Report Result ~7.6% based on Elemental Analysis

Additional Information: N/A

Purity is based on the analytical results of the tests performed. NMR and Elemental Analysis (if available) may have an accuracy of \pm 2%. Isotopic purity is based on mass distribution observed. The contents of the specifications are subject to change without advance notice, and the specification values displayed here are the most up to date values.

4. Signatures

Reviewed By
Reviewed By
C of A Approved
By
Test Date
Retest Date

Swathi Reddy
Toni Rantanen
Chanell Chu
7/7/2022
7/5/2026

Cof A Approved
By
Test Date