

CERTIFICATE OF ANALYSIS

1. Identification

Catalogue Number

Lot Number

5-RTW-105-1

Product Name

Bis(4-hydroxyphenyl) Sulfone -13C12

Synonyms

B447393

4,4'-sulfonylbisphenol-13C12;1,1'-Sulfonylbis[4-hydroxybenzene]-13C12; 4,4'-Bisphenol S; 4,4'-Dihydroxydiphenyl Sulfone-13C12; 4,4'-Sulfonylbis[phenol]-13C12; 4,4'-Sulfonyldiphenol-13C12; 4-(4-Hydroxyphenylsulfonyl)phenol-13C12; 4-Hydroxyphenyl Sulfone-13C12; BPS 1-13C12; BPS-H-13C12; BPS-P-13C12; BS 3-13C12; BS 3 (phenol)-13C12; BS-PN-13C12; Bis(4-13C12; BS-PN-13C12; BS-PN-13C12

CAS Number

Solubility

1991267-29-8

DMSO (Slightly), Methanol (Slightly)

Molecular Formula

Source of Product

 $^{13}C_{12}H_{10}O_4S$

Synthetic Purity

Molecular Weight


262.18 >95%

2. Warnings

Not Determined

3. Analytical Information

Structure



Shipping Condition

This Product Is Stable To Be Shipped At Room

Temperature

Long Term Storage Conditions

4°C

Specifications Tests Results Appearance White to Light Pink Solid White to Off-White Solid **NMR** Conforms to Structure Conforms C NMR Conforms to Structure Conforms **HPLC** Purity >95% 96.92% (260 nm) MS Conforms to Structure Conforms Isotopic Purity >95% 99.0%

Additional Information

Normalized Intensity: ${}^{13}C_0 = 0.04\%$, ${}^{13}C_1 = 0.00\%$, ${}^{13}C_2 = 0.01\%$, ${}^{13}C_3 = 0.03\%$, ${}^{13}C_4 = 0.04\%$, ${}^{13}C_5 = 0.02\%$, ${}^{13}C_6 = 0.03\%$, ${}^{13}C_7 = 0.03\%$, ${}^{13}C_8 = 0.04\%$, = 0.01%, ${}^{13}C_9 = 0.02\%$, ${}^{13}C_{10} = 0.47\%$, ${}^{13}C_{11} = 9.57\%$, ${}^{13}C_{12} = 89.75\%$

Purity is based on the analytical results of the tests performed. NMR and Elemental Analysis (if available) may have an accuracy of ± 2%. Isotopic purity is based on mass distribution observed.

The contents of the specifications are subject to change without advance notice, and the specification values displayed here are the most up to date values.

4. Signatures

Reviewed by C of A Approved by Reviewed by **Test Date Retest Date** 7/18/2024 7/16/2028

Jingning Zhou Christina Gouliaras Toni Rantanen Product Quality Specialist Manager, Quality Assurance Quality Assurance Associate