

## **CERTIFICATE OF ANALYSIS**

## 1. Identification

Catalogue Number T884652

Lot Number 12-MPT-46-1

**Product Name** 

Tris(2-ethylhexyl) Phosphate-d51

Synonyms

Disflamoll TOF-d51; Durad TOP-d51; Flexol TOF-d51; NSC 407921-d51; Reomol TOFd51; TEHP-d51; TOF-d51; TOP-d51; Tri(2-ethylhexyl) Phosphate-d51; Trioctyl

Phosphate-d51; Tris(2-ethylhexyl) Phosphate-d51

**CAS Number** Solubility

1259188-37-8 Acetonitrile (Slightly), Chloroform

(Slightly)

Source of Product Molecular Formula

C24D51O4P Synthetic

Molecular Weight Purity >95% 485.95

2. Warnings

Hygroscopic

3. Analytical Information

**Shipping Condition** 

This Product Is Stable To Be Shipped At Room

Temperature

Long Term Storage Conditions

4°C, Hygroscopic

<u>Tests</u>	<u>Specifications</u>	<u>Results</u>
Appearance	Colourless Oil	Clear Colourless Oil
NMR	Conforms to Structure	Conforms
P NMR	Conforms to Structure	Conforms
Elemental Analysis	Conforms	%C: 59.40, %H: 10.55
GC Purity	>95%	96.06%
MS	Conforms to Structure	Conforms
Isotopic Purity	>95%	96.4%

## Additional Information

Normalized Intensity:  $d_0 = 0.03\%$ ,  $d_1 = 0.12\%$ ,  $d_2 = 0.09\%$ ,  $d_3 = 0.02\%$ ,  $d_4 = 0.06\%$ ,  $d_5 = 0.00\%$ ,  $d_6 = 0.12\%$ ,  $d_7 = 0.17\%$ ,  $d_8 = 0.16\%$ ,  $d_9 = 0.10\%$ 0.14%,  $d_{10} = 0.02\%$ ,  $d_{11} = 0.03\%$ ,  $d_{12} = 0.01\%$ ,  $d_{13} = 0.02\%$ ,  $d_{14} = 0.09\%$ ,  $d_{15} = 0.13\%$ ,  $d_{16} = 0.24\%$ ,  $d_{17} = 0.28\%$ ,  $d_{18} = 0.00\%$ ,  $d_{19} = 0.06\%$ ,  $d_{20} = 0.02\%, d_{21} = 0.01\%, d_{22} = 0.04\%, d_{23} = 0.02\%, d_{24} = 0.01\%, d_{25} = 0.01\%, d_{26} = 0.11\%, d_{27} = 0.00\%, d_{28} = 0.00\%, d_{29} = 0.01\%, d_{30} = 0.0$  $0.12\%,\ d_{31} = 0.06\%,\ d_{32} = 0.06\%,\ d_{33} = 0.10\%,\ d_{34} = 0.00\%,\ d_{35} = 0.13\%,\ d_{36} = 0.07\%,\ d_{37} = 0.11\%,\ d_{38} = 0.18\%,\ d_{39} = 0.03\%,\ d_{40} = 0.01\%,\ d_{40} = 0.01$ 

Purity is based on the analytical results of the tests performed. NMR and Elemental Analysis (if available) may have an accuracy of ± 2%. Isotopic purity is based on

The contents of the specifications are subject to change without advance notice, and the specification values displayed here are the most up to date values.

4. Signatures

Reviewed by C of A Approved by Reviewed by **Test Date Retest Date** R. Letti 3/7/2025 3/5/2029 Sadaf Samadi Swathi Reddy Sadaf Samadi Toni Rantanen Product Quality Specialist Manager, Quality Assurance Quality Assurance Associate

101 Milani Blvd., Vaughan, ON., L4H 4M4 Canada Tel: (416) 665-9696 E-mail: Orders.TRC@LGCGroup.com Website: www.lgcstandards.com