

# **CERTIFICATE OF ANALYSIS**

#### 1. Identification

Catalogue Number

Lot Number

L330602

Product Name

Leuprolide-d5 Acetate

2023-GHZ-001

Synonyms

G-D-Leucine-9-(N-ethyl-L-prolinamide)-10-deglycinamideluteinizing-d5 Acetate; Hormone-Releasing Factor (Pig) Acetate; A 43818-d5 Acetate; Abbott 43818-d5 Acetate; Leuprorelin-d5 Acetate; Luprond5 Acetate; Procren Depot-d5 Acetate; Procrin-d5 Acetate; Prostap-d5 Acetate; TAP 144-d5 Acetate; TAP 144SR-d5 Acetate;

**CAS Number** 

Solubility

N/A

DMSO (Slightly), Methanol (Slightly)

Molecular Formula

Source of Product

 $C_{59}H_{79}D_5N_{16}O_{12} \bullet x(C_2H_4O_2)$ N/A

Molecular Weight 1214.45 + x(60.05)

Purity >95%

2. Warnings

Not Determined

3. Analytical Information

**Structure** 

### **Shipping Condition**

This Product Is Stable To Be Shipped At Room Temperature

## **Long Term Storage Conditions**

-20°C, Inert atmosphere

<u>Tests</u>	<u>Specifications</u>	<u>Results</u>
Appearance	White to Beige Solid	White to Off-White Solid
NMR	Conforms to Structure	Conforms
Elemental Analysis	Conforms	%C: 52.68, %H: 7.15, %N: 15.58
HPLC Purity	>95%	97.78% (197 nm)
MS	Conforms to Structure	Conforms
Isotopic Purity	>95%	>99.9%
Acetate Content	Report Result	13.17% by Ion Chromatography
Specific Rotation	Report Result	-34.3° (c = 0.1, Methanol)

#### Additional Information

Normalized Intensity:  $d_0 = 0.00\%$ ,  $d_1 = 0.00\%$ ,  $d_2 = 0.00\%$ ,  $d_3 = 0.00\%$ ,  $d_4 = 0.00\%$ ,  $d_5 = 100.00\%$ 

x = 3

Purity is based on the analytical results of the tests performed. NMR and Elemental Analysis (if available) may have an accuracy of ± 2%. Isotopic purity is based on mass distribution observed.

The contents of the specifications are subject to change without advance notice, and the specification values displayed here are the most up to date values.

4. Signatures

Reviewed by C of A Approved by Reviewed by **Test Date Retest Date** Play 1/9/2023 1/7/2027

Henry Tieu Toni Rantanen Chanell Chu **Product Quality Specialist** Manager, Quality Assurance Jr. Quality Assurance

101 Milani Blvd., Vaughan, ON., L4H 4M4 Canada Tel: (416) 665-9696 E-mail: Orders.TRC@LGCGroup.com Website: www.lgcstandards.com