



# Safety Data Sheet - Version 5.0

Preparation Date 9/29/2015

Latest Revision Date (If Revised)

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1 Product Identifier

Chemical Name 2-(Methylamino)ethanol


Catalogue # M286090

### 1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Product Uses To be used only for scientific research and development. Not for use in humans or animals.

### 1.3 Details of the Supplier of the Safety Data Sheet

Company Toronto Research Chemicals  
2 Brisbane Road  
Toronto, ON M3J 2J8  
CANADA  
Telephone +14166659696  
FAX +14166654439  
Email orders.trc@lgcgroup.com



### 1.4 Emergency Telephone Number

Emergency# +1(416) 665-9696 between 0800-1700 (GMT-5)

## 2. HAZARDS IDENTIFICATION

### 2.1/2.2 Classification of the Substance or Mixture and Label Elements

#### GHS Hazards Classification (According to EU Regulation 1272/2008 and US OSHA 1910.1200)

Flammable Liquids (Category 4)  
Acute Toxicity, Oral (Category 4)  
Acute Toxicity, Dermal (Category 4)  
Skin Corrosion (Category 1B)  
Eye Damage/Irritation (Category 1)  
Specific Target Organ Toxicity, Single Exposure; Respiratory Tract Irritation (Category 3)  
Specific Target Organ Toxicity, Repeated Exposure (Category 2)  
Hazardous to the Aquatic Environment, Acute Hazard (Category 3)

#### GHS Hazards Identification (According to EU Regulation 1272/2008 and US OSHA 1910.1200)

Signal Word Danger



#### GHS Hazard Statements

H227 Combustible liquid and vapour.  
H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.  
H402 May cause damage to organs through prolonged or repeated exposure.  
H403 Harmful to aquatic life.

#### GHS Precautionary Statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray  
P280 Wear protective gloves/protective clothing/eye protection/face protection.



## **5.2 Special Hazards Arising from the Substance or Mixture**

Carbon oxides, Nitrogen oxides

## **5.3 Advice for Firefighters**

Wear self contained breathing apparatus for fire fighting if necessary. Use personal protection equipment.

## **5.4 Further Information**

No data available.

# **6. ACCIDENTAL RELEASE MEASURES**

## **6.1 Personal Precautions, Protective Equipment and Emergency Procedures**

Use recommended personal protective equipment (see Section 8). Adequate ventilation must be provided to ensure vapours or mists are not inhaled. Vapours are heavier than air and may accumulate in low areas. All sources of ignition, including sources of static discharge, must be removed from area.

## **6.2 Environmental Precautions**

Material should not be allowed to enter the environment. Prevent further spillage or discharge into drains, if safe to do so.

## **6.3 Methods and Materials for Containment and Cleaning Up**

Contain the spill and then collect using non-combustible absorbent material (such as clay, diatomaceous earth, vermiculite or other appropriate material). Place material in a suitable, sealable container and then dispose according to local/national regulations and guidance (see Section 13).

## **6.4 Reference to Other Sections**

For protective equipment, refer to Section 8. For disposal, see Section 13.

# **7. HANDLING AND STORAGE**

## **7.1 Precautions for Safe Handling**

Avoid contact with skin and eyes. Ventilation and proper handling are to be used to prevent the formation of vapours and mists. Remove all sources of ignition and take precautionary measures to prevent the buildup of electrostatic discharge (ground and bond containers as appropriate). No smoking, eating or drinking around this material. Wash hands after use.

## **7.2 Conditions for Safe Storage, Including any Incompatibilities**

Ensure container is kept securely closed before and after use. Keep in a well ventilated area and do not store with strong oxidizers or other incompatible materials (see Section 10).

Storage conditions: 4°C, Inert atmosphere

## **7.3 Specific End Uses**

For scientific research and development only. Not for use in humans or animals.

# **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## **8.1 Control Parameters**

Contains no components with established occupational exposure limits.

## **8.2 Exposure Controls**

### **Appropriate Engineering Controls**

A laboratory fumehood or other appropriate form of local exhaust ventilation should be used to avoid exposure.

### **Personal Protective Equipment**

All recommendations below are advisory in nature and a risk assessment should be performed by the employer/end user prior to use of this product. The type of protective equipment must be selected based on the amount and concentration of the dangerous material being used in the workplace.

### **Eye/Face Protection**

Safety goggles or face shield. All equipment should have been tested and approved under appropriate standards, such as NIOSH (US), CSA (Canada), or EN 166 (EU).

### **Skin Protection**

Gloves should be used when handling this material. Gloves are to be inspected prior to use. Contaminated gloves are to be removed using proper glove removal technique so that the outer surface of the glove does not contact bare skin. Dispose of contaminated gloves after use in compliance with good laboratory practices and local requirements.

Gloves used for incidental exposures (splash protection) should be designated as "chemical resistant" by EU standard EN 374 with the resistance codes corresponding to the anticipated use of the material. Unrated gloves are not recommended.

Suggested gloves: AnsellPro Sol-Vex nitrile gloves style 37-175, 15 mil thickness.

Penetration time has not been determined.

Gloves used for prolonged direct exposure (immersion) should be designated “chemical resistant” as per EN 734 with the resistance codes corresponding to the anticipated use of the material.  
Suggested gloves: AnsellPro Viton/Butyl gloves style 38-612, 4/8 mil thickness.  
Penetration time has not been determined.

These recommendations may not apply if the material is mixed with any other chemical, or dissolved into a solution. A risk assessment must be performed to ensure the gloves will still offer acceptable protection.

**Body Protection**

Chemical-resistant bodysuit (laminated Tychem SL or equivalent).

**Respiratory Protection**

Recommended respirators are NIOSH-approved OV/Multi-gas/P100 or CEN-approved ABEK-FFP3 respirators. These are to be only used as a backup to local exhaust ventilation or other engineering controls. If the respirator is the only means of protection, a full-face supplied air respirator must be used.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on Basic Physical and Chemical Properties**

|                                                                                      |                                                                                       |
|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>A) Appearance</b><br>Colourless Oil                                               | <b>B) Odour</b><br>No data available                                                  |
| <b>C) Odour Threshold</b><br>No data available                                       | <b>D) pH</b><br>13.6 at 100 g/l at 20 °C (68 °F)                                      |
| <b>E) Melting Point/Freezing Point</b><br>No Data Available                          | <b>F) Initial Boiling Point/Boiling Range</b><br>No data available                    |
| <b>G) Flash point</b><br>76 °C (169 °F) - closed cup                                 | <b>H) Evaporation Rate</b><br>No data available                                       |
| <b>I) Flammability (Solid/Gas)</b><br>No data available                              | <b>J) Upper/Lower Flammability/Explosive Limits</b><br>Lower: 1.6%(V) Upper: 19.8%(V) |
| <b>K) Vapour Pressure</b><br>0.7 hPa (0.5 mmHg) at 20 °C (68 °F)                     | <b>L) Vapour Density</b><br>2.59 (Air = 1.0)                                          |
| <b>M) Relative Density</b><br>0.935 g/cm3 at 25 °C (77 °F)                           | <b>N) Solubility</b><br>Chloroform (Soluble), Methanol (Slightly)                     |
| <b>O) Partition Coefficient: n-octanol/water</b><br>log Pow: -0.909 at 25 °C (77 °F) | <b>P) Auto-Ignition Temperature</b><br>350 °C (662 °F) at 1,013.25 hPa (760.00 mmHg)  |
| <b>Q) Decomposition Temperature</b><br>No data available                             | <b>R) Viscosity</b><br>6.36 mm2/s at 37.5 °C (99.5 °F)                                |
| <b>S) Explosive Properties</b><br>No data available                                  | <b>T) Oxidizing Properties</b><br>No data available                                   |

**9.2 Other Information**

no data available

**10. STABILITY AND REACTIVITY**

**10.1 Reactivity**

No data available.

**10.2 Chemical Stability**

Stable under recommended storage conditions.

**10.3 Possibility of Hazardous Reactions**

No data available.

**10.4 Conditions to Avoid**

Heat, flames and sparks.

**10.5 Incompatible Materials**

Oxidizing agents, Copper, Zinc, Iron. Do not store near Acids.

**10.6 Hazardous Decomposition Products**

In the event of fire: See section 5. Other decomposition products: No data available.

**11. TOXICOLOGICAL INFORMATION**

**11.1 Information on Toxicological Effects**

**A) Acute Toxicity**

Oral LD50: Rat - 1,391 mg/kg  
Inhalation LC50: No data available.

**Dermal LD50:** Rabbit - 1,006 mg/kg

**B) Skin Corrosion/Irritation**

Corrosive - causes skin and eye burns. May also cause respiratory tract damage.

**C) Serious Eye Damage/Irritation**

Corrosive - causes skin and eye burns. May also cause respiratory tract damage.

**D) Respiratory or Skin Sensitization**

No data available

**E) Germ Cell Mutagenicity**

No data available

**F) Carcinogenicity**

No data available

**G) Reproductive Toxicity/Teratogenicity**

No data available

**H) Single Target Organ Toxicity - Single Exposure**

No data available

**I) Single Target Organ Toxicity - Repeated Exposure**

No data available

**J) Aspiration Hazard**

No data available

**K) Potential Health Effects and Routes of Exposure**

**Inhalation**

May be harmful if inhaled. May cause respiratory tract irritation.

**Ingestion**

Harmful if swallowed.

**Skin**

Harmful if absorbed through skin. May cause skin irritation.

**Eyes**

May cause eye irritation.

**L) Signs and Symptoms of Exposure**

The most important known symptoms and effects are described in the labeling (see section 2.2) and/or in section 11.

To the best of our knowledge, the chemical, physical, and toxicological properties of this material have not been thoroughly investigated.

**M) Additional Information**

RTECS: KL6650000

## **12. ECOLOGICAL INFORMATION**

### **12.1 Toxicity**

**Toxicity to fish:**

LC50 - Danio rerio (zebra fish) - 100 mg/l - 96 h

**Toxicity to daphnia and other aquatic invertebrates:**

static test EC50 - Daphnia magna (Water flea) - 33 mg/l - 48 h

**Toxicity to algae:**

static test EC50 - Desmodesmus subspicatus (green algae) - 28.1 mg/l - 72 h

### **12.2 Persistence and Degradability**

aerobic

Result: 92 - 93 % - Readily biodegradable.

Method: OECD Test Guideline 301A

### **12.3 Bioaccumulative Potential**

No data available.

### **12.4 Mobility in Soil**

No data available.

### **12.5 Results of PBT and vPvB Assessment**

No data available.

### **12.6 Other Adverse Effects**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life.

## **13. DISPOSAL CONSIDERATIONS**

### **13.1 Waste Treatment Methods**

**A) Product**

Product may be burned in an incinerator equipped with afterburner and scrubber. Excess and expired materials are to be offered to a licensed hazardous material disposal company. Ensure that all Federal and Local regulations regarding the disposal and destruction of this material are followed.

**B) Contaminated Packaging**

Dispose of as above.

**C) Other Considerations**

Product is not to be disposed of in sanitary sewers, storm sewers, or landfills.

## **14. TRANSPORT INFORMATION**

**14.1 UN Number**

DOT (US): UN2735                      IATA: UN2735                      IMDG: UN2735                      ADR/RID: UN2735

**14.2 UN Proper Shipping Name**

DOT (US)/IATA:

Amines, liquid, corrosive, n.o.s. (N-Methylethanolamine)

IMDG/ARD/RID:

AMINES, LIQUID, CORROSIVE, N.O.S. (N-Methylethanolamine)

**14.3 Transport Hazard Class(es)**

DOT (US): 8                      IATA: 8                      IMDG: 8                      ADR/RID: 8

**14.4 Packing Group**

DOT (US): II                      IATA: II                      IMDG: II                      ADR/RID: II

**14.5 Environmental Hazards**

DOT (US): None                      IATA: None                      IMDG: None                      ADR/RID: None

**14.6 Special Precautions for User**

None

## **15. REGULATORY INFORMATION**

This safety data sheet complies with the requirements of WHMIS (Canada), OSHA 1910.1200 (US), and EU Regulation EC No. 1907/2006 (European Union).

**15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture**

**A) Canada**

**DSL/NDSL Status:** This product or a component of this product is registered on the Canadian DSL/NDSL.

**B) United States**

**TSCA Status:** This product or a component is listed on the US EPA TSCA.

**C) European Union**

**ECHA Status:** This product or a component is registered with the EU ECHA.

**15.2 Chemical Safety Assessment**

No data available

## **16. OTHER INFORMATION**

**16.1 Revision History**

Original Publication Date:            9/29/2015

**16.2 List of Abbreviations**

|       |                                                                                       |
|-------|---------------------------------------------------------------------------------------|
| LD50  | Median lethal dose of a substance required to kill 50% of a test population.          |
| LC50  | Medial lethal concentration of a substance required to kill 50% of a test population. |
| LDLo  | Lowest known lethal dose                                                              |
| TDLo  | Lowest known toxic dose                                                               |
| IARC  | International Agency for Research on Cancer                                           |
| NTP   | National Toxicology Program                                                           |
| RTECS | Registry of Toxic Effects of Chemical Substances                                      |

**16.3 Further Information**

Copyright 2015. Toronto Research Chemicals Inc. Copies may be made for internal use only. The above information is believed to be correct to the best of our knowledge, but is to be only used as a guide. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Please take all due care when handling this product.