



Safety Data Sheet - Version 5.0

Preparation Date 4/23/2018

Latest Revision Date (If Revised)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Chemical Name Vinylene Carbonate (Contains Up to 2% BHT)

Catalogue # V375010

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Product Uses To be used only for scientific research and development. Not for use in humans or animals.


1.3 Details of the Supplier of the Safety Data Sheet

Company Toronto Research Chemicals
2 Brisbane Road
Toronto, ON M3J 2J8
CANADA

Telephone +14166659696

FAX +14166654439

Email orders.trc@lgcgroup.com



1.4 Emergency Telephone Number

Emergency# +1(416) 665-9696 between 0800-1700 (GMT-5)

2. HAZARDS IDENTIFICATION

2.1/2.2 Classification of the Substance or Mixture and Label Elements

GHS Hazards Classification (According to EU Regulation 1272/2008 and US OSHA 1910.1200)

Flammable Liquids (Category 4)

Acute Toxicity, Oral (Category 4)

Acute Toxicity, Dermal (Category 3)

Skin Irritation (Category 2)

Eye Damage/Irritation (Category 1)

Sensitisation, Skin (Category 1)

Specific Target Organ Toxicity, Repeated Exposure (Category 2)

Hazardous to the Aquatic Environment, Acute Hazard (Category 2)

Hazardous to the Aquatic Environment, Long-Term Hazard (Category 2)

GHS Hazards Identification (According to EU Regulation 1272/2008 and US OSHA 1910.1200)

Signal Word Danger



GHS Hazard Statements

H227 Combustible liquid and vapour.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H315 Causes skin irritation.

H317 Causes serious eye damage.

H373 May cause an allergic skin reaction.

H401 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

GHS Precautionary Statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P260	Do not breathe dust/fume/gas/mist/vapours/spray
P264	Wash hands thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301/P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P330	Rinse mouth.
P302/P352	IF ON SKIN: Wash with plenty of soap and water
P305/P351/P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

2.3 Unclassified Hazards/Hazards Not Otherwise Classified

No data available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Molecular Formula: C₄H₆O₃

Molecular Weight: 86.05

CAS Registry #: 872-36-6

EC#: 212-825-5

Synonyms

1,3-Dioxol-2-one; Cyclic Vinylene Ester Carbonic Acid; LBG 84922; NSC 20980; NSC 47201; Vinylidene Carbonate;

3.2 Mixtures

Ingredient	CAS#	EC#	Index-No.	%Composition
Vinylene Carbonate	872-36-6	212-825-5	N/A	<100%
2,6-di-tert-Butyl-p-cresol	128-37-0	204-881-4	N/A	<2%

4. FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice

If medical attention is required, show this safety data sheet to the doctor.

If Inhaled

If inhaled, move casualty to fresh air. If not breathing, give artificial respiration and consult a physician.

In Case of Skin Contact

Remove contaminated clothing and shoes. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In Case of Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.

If Swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Do NOT induce vomiting unless advised to do so by a physician or Poison Control Center. Seek medical attention.

Self-protection of the first aider

Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2 Most Important Symptoms and Effects, Both Acute and Delayed

The most important known symptoms and effects are described in the labeling (see section 2.2) and/or section 11.

4.3 Indication of any Immediate Medical Attention and Special Treatment Needed

No data available.

5. FIREFIGHTING MEASURES

5.1 Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special Hazards Arising from the Substance or Mixture

Carbon oxides

5.3 Advice for Firefighters

Wear self contained breathing apparatus for fire fighting if necessary. Use personal protection equipment.

5.4 Further Information

No data available.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. Avoid contact with skin, eyes or clothing.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Method and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.

7.2 Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Keep in a dry place.

Storage conditions: 4°C

7.3 Specific End Uses

For scientific research and development only. Not for use in humans or animals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
2,6-di-tert-Butyl-p-cresol	128-37-0	TWA	10.000000 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
Remarks	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required			
		TWA	2.000000 mg/m3	Canada. British Columbia OEL
	Vapour and aerosol.			
		TWAEV	10.000000 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWA	2.000000 mg/m3	Canada. British Columbia OEL
	Vapour and aerosol.			
		TWA	2.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)

8.2 Exposure Controls

Appropriate Engineering Controls

A laboratory fumehood or other appropriate form of local exhaust ventilation should be used to avoid exposure.

Personal Protective Equipment

All recommendations below are advisory in nature and a risk assessment should be performed by the employer/end user prior to use of this product. The type of protective equipment must be selected based on the amount and concentration of the dangerous material being used in the workplace.

Eye/Face Protection

Safety goggles or face shield. All equipment should have been tested and approved under appropriate standards, such as NIOSH (US), CSA (Canada), or EN 166 (EU).

Skin Protection

Gloves should be used when handling this material. Gloves are to be inspected prior to use. Contaminated gloves are to be removed using proper glove removal technique so that the outer surface of the glove does not contact bare skin. Dispose of contaminated gloves after use in compliance with good laboratory practices and local requirements.

Gloves used for incidental exposures (splash protection) should be designated as "chemical resistant" by EU standard EN 374 with the resistance codes corresponding to the anticipated use of the material. Unrated gloves are not recommended.

Suggested gloves: AnsellPro Sol-Vex nitrile gloves style 37-175, 15 mil thickness.

Penetration time has not been determined.

Gloves used for prolonged direct exposure (immersion) should be designated "chemical resistant" as per EN 734 with the resistance codes corresponding to the anticipated use of the material.

Suggested gloves: AnsellPro Viton/Butyl gloves style 38-612, 4/8 mil thickness.

Penetration time has not been determined.

These recommendations may not apply if the material is mixed with any other chemical, or dissolved into a solution. A risk assessment must be performed to ensure the gloves will still offer acceptable protection.

Body Protection

Fire resistant (Nomex) lab coat or coveralls.

Respiratory Protection

Recommended respirators are NIOSH-approved N100 or CEN-approved FFP3 particulate respirators. These are to be only used as a backup to local exhaust ventilation or other engineering controls. If the respirator is the only means of protection, a full-face supplied air respirator must be used.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties

A) Appearance

Colourless Oil

C) Odour Threshold

No data available

E) Melting Point/Freezing Point

G) Flash point

No data available

I) Flammability (Solid/Gas)

No data available

K) Vapour Pressure

No data available

M) Relative Density

No data available

O) Partition Coefficient: n-octanol/water

No data available

Q) Decomposition Temperature

No data available

S) Explosive Properties

No data available

B) Odour

No data available

D) pH

No data available

F) Initial Boiling Point/Boiling Range

No data available

H) Evaporation Rate

No data available

J) Upper/Lower Flammability/Explosive Limits

No data available

L) Vapour Density

No data available

N) Solubility

Chloroform (Soluble), Methanol (Slightly)

P) Auto-Ignition Temperature

No data available

R) Viscosity

No data available

T) Oxidizing Properties

No data available

9.2 Other Information

no data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available.

10.2 Chemical Stability

Stable under recommended storage conditions.

10.3 Possibility of Hazardous Reactions

No data available.

10.4 Conditions to Avoid

Heat, flames and sparks.

10.5 Incompatible Materials

Strong oxidizing agents, Strong acids, Strong bases, Strong reducing agents.

10.6 Hazardous Decomposition Products

In the event of fire: See section 5. Other decomposition products: No data available.

11. TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects

A) Acute Toxicity

Oral LD50: No data available.

Inhalation LC50: No data available.

Dermal LD50: No data available.

B) Skin Corrosion/Irritation

Moderate skin irritant.

C) Serious Eye Damage/Irritation

No data available

D) Respiratory or Skin Sensitization

May cause an allergic skin reaction.

E) Germ Cell Mutagenicity

No data available

F) Carcinogenicity

Limited evidence of a carcinogenic effect.

This compound has been designated as Group 3: Not classifiable as to its carcinogenicity in humans.

G) Reproductive Toxicity/Teratogenicity

No data available

H) Single Target Organ Toxicity - Single Exposure

No data available

I) Single Target Organ Toxicity - Repeated Exposure

No data available

J) Aspiration Hazard

No data available

K) Potential Health Effects and Routes of Exposure

Inhalation

May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion

Harmful if swallowed.

Skin

Toxic if absorbed through skin. Causes skin irritation.

Eyes

Causes severe eye irritation.

L) Signs and Symptoms of Exposure

The most important known symptoms and effects are described in the labeling (see section 2.2) and/or section 11.

To the best of our knowledge, the chemical, physical, and toxicological properties of this material have not been thoroughly investigated.

M) Additional Information

RTECS: FG3325000

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish: mortality LC50 - Cyprinus carpio (Carp) - 2.4 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates:

Immobilization EC50 - Daphnia magna (Water flea) - 4.9 mg/l - 48 h

Toxicity to algae: static test EC50 - Pseudokirchneriella subcapitata (green algae) - 3.2 mg/l - 96 h

Toxicity to bacteria: EC50 - Sludge Treatment - 100 mg/l - 3 h

12.2 Persistence and Degradability

aerobic

Result: 22 % - Not rapidly biodegradable

12.3 Bioaccumulative Potential

No data available.

12.4 Mobility in Soil

No data available.

12.5 Results of PBT and vPvB Assessment

No data available.

12.6 Other Adverse Effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS**13.1 Waste Treatment Methods****A) Product**

Product may be burned in an incinerator equipped with afterburner and scrubber. Excess and expired materials are to be offered to a licensed hazardous material disposal company. Ensure that all Federal and Local regulations regarding the disposal and destruction of this material are followed.

B) Contaminated Packaging

Dispose of as above.

C) Other Considerations

Product is not to be disposed of in sanitary sewers, storm sewers, or landfills.

14. TRANSPORT INFORMATION**14.1 UN Number**

DOT (US): UN2810

IATA: UN2810

IMDG: UN2810

ADR/RID: UN2810

14.2 UN Proper Shipping Name

DOT (US)/IATA:

Toxic, liquids, organic, n.o.s. (Vinylene carbonate)

IMDG/ARD/RID:

TOXIC LIQUID, ORGANIC, N.O.S. (Vinylene carbonate)

14.3 Transport Hazard Class(es)

DOT (US): 6.1

IATA: 6.1

IMDG: 6.1

ADR/RID: 6.1

14.4 Packing Group

DOT (US): III

IATA: III

IMDG: III

ADR/RID: III

14.5 Environmental Hazards

DOT (US): None

IATA: None

IMDG: None

ADR/RID: None

14.6 Special Precautions for User

None

15. REGULATORY INFORMATION

This safety data sheet complies with the requirements of WHMIS (Canada), OSHA 1910.1200 (US), and EU Regulation EC No. 1907/2006 (European Union).

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture**A) Canada**

DSL/NDSL Status: This product or a component of this product is registered on the Canadian DSL/NDSL.

B) United States

TSCA Status: This product or a component is listed on the US EPA TSCA.

C) European Union

ECHA Status: This product or a component is registered with the EU ECHA.

15.2 Chemical Safety Assessment

No data available

16. OTHER INFORMATION**16.1 Revision History**

Original Publication Date: 4/23/2018

16.2 List of Abbreviations

LD50	Median lethal dose of a substance required to kill 50% of a test population.
LC50	Medial lethal concentration of a substance required to kill 50% of a test population.
LDLo	Lowest known lethal dose
TDLo	Lowest known toxic dose

IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances

16.3 Further Information

Copyright 2015. Toronto Research Chemicals Inc. Copies may be made for internal use only. The above information is believed to be correct to the best of our knowledge, but is to be only used as a guide. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Please take all due care when handling this product.