



Safety Data Sheet - Version 5.0

Preparation Date 9/15/2014

Latest Revision Date (If Revised) 8/2/2019

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Chemical Name Methanol-D

Catalogue # M276587

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Product Uses To be used only for scientific research and development. Not for use in humans or animals.


1.3 Details of the Supplier of the Safety Data Sheet

Company Toronto Research Chemicals
2 Brisbane Road
Toronto, ON M3J 2J8
CANADA

Telephone +14166659696

FAX +14166654439

Email orders.trc@lgcgroup.com



1.4 Emergency Telephone Number

Emergency# +1(416) 665-9696 between 0800-1700 (GMT-5)

2. HAZARDS IDENTIFICATION

2.1/2.2 Classification of the Substance or Mixture and Label Elements

GHS Hazards Classification (According to EU Regulation 1272/2008 and US OSHA 1910.1200)

Flammable Liquids (Category 2)

Acute Toxicity, Oral (Category 3)

Acute Toxicity, Inhalation (Category 3)

Acute Toxicity, Dermal (Category 3)

Specific Target Organ Toxicity, Single Exposure (Category 1)

GHS Hazards Identification (According to EU Regulation 1272/2008 and US OSHA 1910.1200)

Signal Word Danger



GHS Hazard Statements

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H331 Toxic if inhaled.

H311 Toxic in contact with skin.

H370 Causes damage to organs.

GHS Precautionary Statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P260 Do not breathe dust/fume/gas/mist/vapours/spray

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301/P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P303/P361/P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

2.3 Unclassified Hazards/Hazards Not Otherwise Classified

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Molecular Formula: CH₃DO

Molecular Weight: 33.05

CAS Registry #: 1455-13-6

EC#: 215-933-0

Synonyms

Bieleski's Solution-d; Carbinol-d; Methanol Cluster-d; Methyl Alcohol-d; Methyl Hydroxide-d; Methylol-d; Monohydroxymethane-d; NSC 85232-d; Wood Alcohol-d; MeOD

3.2 Mixtures

Not a mixture

4. FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice

If medical attention is required, show this safety data sheet to the doctor.

If Inhaled

If inhaled, move casualty to fresh air. If not breathing, give artificial respiration and consult a physician.

In Case of Skin Contact

Remove contaminated clothing and shoes. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In Case of Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.

If Swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Do NOT induce vomiting unless advised to do so by a physician or Poison Control Center. Seek medical attention.

Self-protection of the first aider

Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2 Most Important Symptoms and Effects, Both Acute and Delayed

Sense organs and special senses (eye): mydriasis (pupillary dilation). Lungs, thorax, or respiration: dyspnea; cough; respiratory depression. Gastrointestinal: nausea or vomiting. Behavioral: ataxia.

4.3 Indication of any Immediate Medical Attention and Special Treatment Needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special Hazards Arising from the Substance or Mixture

Carbon oxides

5.3 Advice for Firefighters

Wear self contained breathing apparatus for fire fighting if necessary. Use personal protection equipment.

5.4 Further Information

No data available.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Use recommended personal protective equipment (see Section 8). Adequate ventilation must be provided to ensure vapours or mists are not inhaled. Vapours are heavier than air and may accumulate in low areas. All sources of ignition, including sources of static discharge, must be removed from area.

6.2 Environmental Precautions

Material should not be allowed to enter the environment. Prevent further spillage or discharge into drains, if safe to do so.

6.3 Methods and Materials for Containment and Cleaning Up

Contain the spill and then collect using non-combustible absorbent material (such as clay, diatomaceous earth, vermiculite or other appropriate material). Place material in a suitable, sealable container and then dispose according to local/national regulations and guidance (see Section 13).

6.4 Reference to Other Sections

For protective equipment, refer to Section 8. For disposal, see Section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.
Provide appropriate exhaust ventilation at places where dust is formed.

7.2 Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.
Keep in a dry place.

Storage conditions: 20°C, Inert atmosphere

7.3 Specific End Uses

For scientific research and development only. Not for use in humans or animals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

Components with workplace exposure levels

Component	CAS#	Value	Control Parameters	Basis
Methanol-d	1455-13-6	TWA	200 ppm	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
			262 mg/m3	
		STEL	250 ppm	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
			328 mg/m3	
		TWA	200 ppm	Canada. British Columbia OEL
		STEL	250 ppm	Canada. British Columbia OEL
		TWA	200 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	250 ppm	USA. ACGIH Threshold Limit Values (TLV)

8.2 Exposure Controls

Appropriate Engineering Controls

A laboratory fumehood or other appropriate form of local exhaust ventilation should be used to avoid exposure.

Personal Protective Equipment

All recommendations below are advisory in nature and a risk assessment should be performed by the employer/end user prior to use of this product. The type of protective equipment must be selected based on the amount and concentration of the dangerous material being used in the workplace.

Eye/Face Protection

Safety goggles or face shield. All equipment should have been tested and approved under appropriate standards, such as NIOSH (US), CSA (Canada), or EN 166 (EU).

Skin Protection

Gloves should be used when handling this material. Gloves are to be inspected prior to use. Contaminated gloves are to be removed using proper glove removal technique so that the outer surface of the glove does not contact bare skin. Dispose of contaminated gloves after use in compliance with good laboratory practices and local requirements.

Gloves used for incidental exposures (splash protection) should be designated as “chemical resistant” by EU standard EN 374 with the resistance codes corresponding to the anticipated use of the material. Unrated gloves are not recommended.

Suggested gloves: AnsellPro Sol-Vex nitrile gloves style 37-175, 15 mil thickness.

Penetration time has not been determined.

Gloves used for prolonged direct exposure (immersion) should be designated “chemical resistant” as per EN 734 with the resistance codes corresponding to the anticipated use of the material.

Suggested gloves: AnsellPro Viton/Butyl gloves style 38-612, 4/8 mil thickness.

Penetration time has not been determined.

These recommendations may not apply if the material is mixed with any other chemical, or dissolved into a solution. A risk assessment must be performed to ensure the gloves will still offer acceptable protection.

Body Protection

Chemical-resistant bodysuit (laminated Tychem SL or equivalent).

Respiratory Protection

Recommended respirators are NIOSH-approved OV/Multi-gas/P100 or CEN-approved ABEK-FFP3 respirators. These are to be only used as a backup to local exhaust ventilation or other engineering controls. If the respirator is the only means of protection, a full-face supplied air respirator must be used.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties

A) Appearance Colourless Liquid	B) Odour No data available
C) Odour Threshold No data available	D) pH No data available
E) Melting Point/Freezing Point	F) Initial Boiling Point/Boiling Range 64.7 °C 148.5 °F
G) Flash point 9.7 °C (49.5 °F) - closed cup	H) Evaporation Rate No data available
I) Flammability (Solid/Gas) No data available	J) Upper/Lower Flammability/Explosive Limits No data available
K) Vapour Pressure No data available	L) Vapour Density No data available
M) Relative Density No data available	N) Solubility Chloroform
O) Partition Coefficient: n-octanol/water No data available	P) Auto-Ignition Temperature No data available
Q) Decomposition Temperature No data available	R) Viscosity No data available
S) Explosive Properties No data available	T) Oxidizing Properties No data available

9.2 Other Information

no data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical Stability

Stable under recommended storage conditions.

Risk of explosion with:Oxidizing agents, Halogens, sodium hypochlorite, sulphuric acid, nitrogen oxides, chlorates, chromium(VI) oxide, chromosulfuric acid, halogen oxides, hydrides, salts of oxyhalogenic acids, perchlorates, perchloric acid, permanganic acid, hydrogen peroxide, zinc diethyl, nonmetallic oxides, powdered magnesium, Nitric acid. Exothermic reaction with:Acids, Chloroform, Acid anhydrides, Reducing agents, Bromine, Chlorine, tetrachloromethane, acid halides, magnesiumRisk of ignition or formation of inflammable gases or vapours with:Fluorine, Oxides of phosphorus, Raneynickel. Generates dangerous gases or fumes in contact with:Alkali metals, Alkaline earth metals. Vapours may form explosive mixture with air.

10.3 Possibility of Hazardous Reactions

No data available

10.4 Conditions to Avoid

Heat, flames, sparks.

10.5 Incompatible Materials

Magnesium, zinc alloys, various plastics. Strong oxidizing agents.

10.6 Hazardous Decomposition Products

In the event of fire: See section 5. Other decomposition products: No data available.

11. TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects

A) Acute Toxicity

Oral LD50: rodent - rat - 5,600 mg/kg

Dermal LD50: rodent - rabbit - 15,800 mg/kg

Inhalation LC50: rodent - rat - 64,000 ppm - 4 h

B) Skin Corrosion/Irritation

No data available

C) Serious Eye Damage/Irritation

No data available

D) Respiratory or Skin Sensitization

No data available

E) Germ Cell Mutagenicity

No data available

F) Carcinogenicity

No data available

G) Reproductive Toxicity/Teratogenicity

No data available

H) Single Target Organ Toxicity - Single Exposure

No data available

I) Single Target Organ Toxicity - Repeated Exposure

No data available

J) Aspiration Hazard

No data available

K) Potential Health Effects and Routes of Exposure**Inhalation**

Toxic if inhaled. Material is extremely destructive to the mucous membranes and respiratory tract.

Ingestion

Toxic if swallowed.

Skin

Toxic if absorbed through skin. May cause skin irritation.

Eyes

May cause eye irritation.

L) Signs and Symptoms of Exposure

Sense organs and special senses (eye): mydriasis (pupillary dilation). Lungs, thorax, or respiration: dyspnea; cough; respiratory depression. Gastrointestinal: nausea or vomiting. Behavioral: ataxia.

To the best of our knowledge, the chemical, physical, and toxicological properties of this material have not been thoroughly investigated.

M) Additional Information

RTECS: PC1400000

12. ECOLOGICAL INFORMATION**12.1 Toxicity**

Toxicity to fish mortality

LC50 - Lepomis macrochirus (Bluegill) - 15,400.0 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - > 10,000.00 mg/l - 48 h

12.2 Persistence and Degradability

No data available

12.3 Bioaccumulative Potential

No data available

12.4 Mobility in Soil

No data available

12.5 Results of PBT and vPvB Assessment

No data available

12.6 Other Adverse Effects

No data available

13. DISPOSAL CONSIDERATIONS**13.1 Waste Treatment Methods****A) Product**

Product may be burned in an incinerator equipped with afterburner and scrubber. Excess and expired materials are to be offered to a licensed hazardous material disposal company. Ensure that all Federal and Local regulations regarding the disposal and destruction of this material are followed.

B) Contaminated Packaging

Dispose of as above.

C) Other Considerations

Product is not to be disposed of in sanitary sewers, storm sewers, or landfills.

14. TRANSPORT INFORMATION

14.1 UN Number

DOT (US): 1230

IATA: 1230

IMDG: 1230

ADR/RID: 1230

14.2 UN Proper Shipping Name

DOT (US)/IATA:

Methanol

IMDG/ARD/RID:

METHANOL

14.3 Transport Hazard Class(es)

DOT (US): 3 (6.1)

IATA: 3 (6.1)

IMDG: 3 (6.1)

ADR/RID: 3 (6.1)

14.4 Packing Group

DOT (US): II

IATA: II

IMDG: II

ADR/RID: II

14.5 Environmental Hazards

DOT (US): None

IATA: None

IMDG: None

ADR/RID: None

14.6 Special Precautions for User

None

15. REGULATORY INFORMATION

This safety data sheet complies with the requirements of WHMIS (Canada), OSHA 1910.1200 (US), and EU Regulation EC No. 1907/2006 (European Union).

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

A) Canada

DSL/NDSL Status: This product or a component of this product is registered on the Canadian DSL/NDSL.

B) United States

TSCA Status: This product or a component is listed on the US EPA TSCA.

C) European Union

ECHA Status: This product or a component is registered with the EU ECHA.

15.2 Chemical Safety Assessment

No data available

16. OTHER INFORMATION

16.1 Revision History

Original Publication Date: 9/15/2014

16.2 List of Abbreviations

LD50	Median lethal dose of a substance required to kill 50% of a test population.
LC50	Medial lethal concentration of a substance required to kill 50% of a test population.
LDLo	Lowest known lethal dose
TDLo	Lowest known toxic dose
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances

16.3 Further Information

Copyright 2015. Toronto Research Chemicals Inc. Copies may be made for internal use only. The above information is believed to be correct to the best of our knowledge, but is to be only used as a guide. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Please take all due care when handling this product.