

Safety Data Sheet - Version 5.0

Preparation Date 11/21/2014

Latest Revision Date (If Revised)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Chemical Name 1,2-Epoxybutane

Catalogue # E589105

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Product Uses To be used only for scientific research and development. Not for use in humans or animals.

1.3 Details of the Supplier of the Safety Data Sheet

Company	Toronto Research Chemicals
	2 Brisbane Road
	Toronto, ON M3J 2J8
	CANADA
Telephone	+14166659696
FAX	+14166654439
Email	orders.trc@lgcgroup.com

CH₃

2. HAZARDS IDENTIFICATION

1.4 Emergency Telephone Number

Emergency#

2.1/2.2 Classification of the Substance or Mixture and Label Elements

GHS Hazards Classification (According to EU Regulation 1272/2008 and US OSHA 1910.1200)

+1(416) 665-9696 between 0800-1700 (GMT-5)

Flammable Liquids (Category 2) Acute Toxicity, Oral (Category 4)

Acute Toxicity, Inhalation (Category 3)

Acute Toxicity, Dermal (Category 4)

Skin Irritation (Category 2)

Eye Damage/Irritation (Category 2A)

Carcinogenicity (Category 2)

.

.

..

Specific Target Organ Toxicity, Single Exposure; Respiratory Tract Irritation (Category 3)

Hazardous to the Aquatic Environment, Acute Hazard (Category 3)

Hazardous to the Aquatic Environment, Long-Term Hazard (Category 3)

GHS Hazards Identification (According to EU Regulation 1272/2008 and US OSHA 1910.1200)

Signal Word	Danger	> <
GHS Hazard Sta	atements	
H225	Highly flammable liquid and vapour.	
H302	Harmful if swallowed.	
H331	Toxic if inhaled.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation	
H319		
H351	Causes serious eye irritation.	
H335	Suspected of causing cancer.	
H402	May cause respiratory irritation.	
H412	Harmful to aquatic life.	
	Harmful to aquatic life with long lasting effects.	

GHS Precautionary Statements

•••••••••••••••••••••••••••••••••••••••	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P301/P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P304/P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P303/P361/P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305/P351/P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.
P308/P313	IF exposed or concerned: Get medical advice/attention.

2.3 Unclassified Hazards/Hazards Not Otherwise Classified

106-88-7

No data available

3. COMPOSITION/INFORMATION ON INGREDIENTS 3.1 Substances Molecular Formula: $C\Box H\Box O$ Molecular Weight: 72.11

EC#: 203-438-2

Synonyms

CAS Registry #:

2-Ethyl-oxirane; (±)-2-Ethyloxirane; (±)-Ethyloxirane; 1,2-Butene Oxide; 1,2-Butylene Epoxide; 1,2-Butylene Oxide; 1,2-Epoxybutane; 1-Butene Oxide; 1-Butylene Oxide; 2-Ethyloxirane; Butene 1,2-epoxide; Butylene Oxide; DL-1,2-Epoxybutane; Epoxybutane; Ethylethylene Oxide; Ethyloxirane; NSC 24240; α-Butylene Oxide

3.2 Mixtures

Not a mixture

4. FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice

If medical attention is required, show this safety data sheet to the doctor.

If Inhaled

If inhaled, move person to fresh air. If not breathing, give artificial respiration and consult a physician.

In Case of Skin Contact

Wash affected area with soap and water. Consult a physician if any exposure symptoms are observed.

In Case of Eye Contact

Immediately rinse eyes with plenty of water for at least 15 minutes. Consult a physician.

If Swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Do NOT induce vomiting unless advised to do so by a physician or Poison Control Center. Seek medical attention.

4.2 Most Important Symptoms and Effects, Both Acute and Delayed

No data available

4.3 Indication of any Immediate Medical Attention and Special Treatment Needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special Hazards Arising from the Substance or Mixture

Carbon oxides

5.3 Advice for Firefighters

Wear self contained breathing apparatus for fire fighting if necessary. Use personal protection equipment.

No data available.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Use recommended personal protective equipment (see Section 8). Adequate ventilation must be provided to ensure vapours or mists are not inhaled. Vapours are heavier than air and may accumulate in low areas. All sources of ignition, including sources of static discharge, must be removed from area.

6.2 Environmental Precautions

Material should not be allowed to enter the environment. Prevent further spillage or discharge into drains, if safe to do so.

6.3 Methods and Materials for Containment and Cleaning Up

Contain the spill and then collect using non-combustible absorbent material (such as clay, diatomaceous earth, vermiculite or other appropriate material). Place material in a suitable, sealable container and then dispose according to local/national regulations and quidance (see Section 13).

6.4 Reference to Other Sections

For protective equipment, refer to Section 8. For disposal, see Section 13.

7. HANDLING AND STORAGE

7.1 Precautions for Safe Handling

Avoid contact with skin and eyes. Ventilation and proper handling are to be used to prevent the formation of vapours and mists. Remove all sources of ignition and take precautionary measures to prevent the buildup of electrostatic discharge (ground and bond containers as appropriate). No smoking, eating or drinking around this material. Wash hands after use.

7.2 Conditions for Safe Storage, Including any Incompatibilities

Ensure container is kept securely closed before and after use. Keep in a well ventilated area and do not store with strong oxidizers or other incompatible materials (see Section 10).

Storage conditions: 4°C

7.3 Specific End Uses

For scientific research and development only. Not for use in humans or animals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

Contains no components with established occupational exposure limits.

8.2 Exposure Controls

Appropriate Engineering Controls

A laboratory fumehood or other appropriate form of local exhaust ventilation should be used to avoid exposure.

Personal Protective Equipment

All recommendations below are advisory in nature and a risk assessment should be performed by the employer/end user prior to use of this product. The type of protective equipment must be selected based on the amount and concentration of the dangerous material being used in the workplace.

Eye/Face Protection

Safety goggles or face shield. All equipment should have been tested and approved under appropriate standards, such as NIOSH (US), CSA (Canada), or EN 166 (EU).

Skin Protection

Gloves should be used when handling this material. Gloves are to be inspected prior to use. Contaminated gloves are to be removed using proper glove removal technique so that the outer surface of the glove does not contact bare skin. Dispose of contaminated gloves after use in compliance with good laboratory practices and local requirements.

Gloves used for incidental exposures (splash protection) should be designated as "chemical resistant" by EU standard EN 374 with the resistance codes corresponding to the anticipated use of the material. Unrated gloves are not recommended. Suggested gloves: AnsellPro Sol-Vex nitrile gloves style 37-175, 15 mil thickness. Penetration time has not been determined.

Gloves used for prolonged direct exposure (immersion) should be designated "chemical resistant" as per EN 734 with the resistance codes corresponding to the anticipated use of the material.

Suggested gloves: AnsellPro Viton/Butyl gloves style 38-612, 4/8 mil thickness.

Penetration time has not been determined.

These recommendations may not apply if the material is mixed with any other chemical, or dissolved into a solution. A risk assessment must be performed to ensure the gloves will still offer acceptable protection.

Body Protection

Chemical-resistant bodysuit (laminated Tychem SL or equivalent).

Respiratory Protection

Recommended respirators are NIOSH-approved OV/Multi-gas/P100 or CEN-approved ABEK-FFP3 respirators. These are to be only used as a backup to local exhaust ventilation or other engineering controls. If the respirator is the only means of protection, a full-face supplied air respirator must be used.

9. PHYSICAL AND CHEMICAL PROPERTIES 9.1 Information on Basic Physical and Chemical Properties		
A) Appearance	B) Odour	
Colourless Oil	No data available	
C) Odour Threshold	D) pH	
No data available	No data available	
E) Melting Point/Freezing Point	F) Initial Boiling Point/Boiling Range	
No Data Available	No data available	
G) Flash point	H) Evaporation Rate	
No data available	No data available	
l) Flammability (Solid/Gas)	J) Upper/Lower Flammability/Explosive Limits	
No data available	No data available	
K) Vapour Pressure	L) Vapour Density	
No data available	No data available	
M) Relative Density	N) Solubility	
No data available	Chloroform (Slightly), Methanol (Slightly)	
O) Partition Coefficient: n-octanol/water	P) Auto-Ignition Temperature	
No data available	No data available	
Q) Decomposition Temperature	R) Viscosity	
No data available	No data available	
S) Explosive Properties	T) Oxidizing Properties	
No data available	No data available	
9.2 Other Information		
no data available		

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical Stability

Stable under recommended storage conditions.

10.3 Possibility of Hazardous Reactions

No data available

10.4 Conditions to Avoid

Heat, flames, sparks.

10.5 Incompatible Materials

Strong oxidizing agents.

10.6 Hazardous Decomposition Products

No data available

11. TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects

A) Acute Toxicity

LD50 (oral - rat) 500 mg/kg

B) Skin Corrosion/Irritation

Moderate skin irritant.

C) Serious Eye Damage/Irritation

Moderate eye irritant.

D) Respiratory or Skin Sensitization

LD50 (dermal - rabbit) 1,741 mg/kg

No data available

E) Germ Cell Mutagenicity

No data available

F) Carcinogenicity

Evidence of a carcinogenic effect. This compound has been designated by the IARC as Group 2B: Possibly carcinogenic to humans.

<u>G) Reproductive Toxicity/Teratogenicity</u>

No data available

H) Single Target Organ Toxicity - Single Exposure

Moderate respiratory tract irritation.

I) Single Target Organ Toxicity - Repeated Exposure

No data available

J) Aspiration Hazard

No data available

K) Potential Health Effects and Routes of Exposure

Inhalation

Toxic if inhaled. Causes respiratory tract irritation.

Ingestion

Harmful if swallowed.

Skin

Harmful if absorbed through skin. Causes skin irritation.

Eyes

Causes eye irritation.

L) Signs and Symptoms of Exposure

No data available

To the best of our knowledge, the chemical, physical, and toxicological properties of this material have not been thoroughly investigated.

<u>M) Additional Information</u>

RTECS: EK3675000

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistance and Degradability

No data available

12.3 Bioaccumulative Potential

No data available

12.4 Mobility in Soil

No data available

12.5 Results of PBT and vPvB Assessment

No data available

12.6 Other Adverse Effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods

A) Product

Product may be burned in an incinerator equipped with afterburner and scrubber. Excess and expired materials are to be offered to a licensed hazardous material disposal company. Ensure that all Federal and Local regulations regarding the disposal and destruction of this material are followed.

B) Contaminated Packaging

Dispose of as above.

C) Other Considerations

Product is not to be disposed of in sanitary sewers, storm sewers, or landfills.

14. TRANSPORT INF	ORMATION			
14.1 UN Number				
DOT (US): 3022	IATA: 3022	IMDG: 3022	ADR/RID: 3022	

14.2 UN Proper Shipping Name			
DOT (US)/IATA:			
1,2-Butylene oxide, stabilized			
IMDG/ARD/RID:			
1,2-BUTYLENE OXIDE, STABIL	IZED		
<u>14.3 Transport Hazard Class(es)</u>			
DOT (US): 3	IATA: 3	IMDG: 3	ADR/RID: 3
14.4 Packing Group			
DOT (US): II	IATA: II	IMDG: II	ADR/RID: II
14.5 Environmental Hazards			
DOT (US): None	IATA: None	IMDG: None	ADR/RID: None
14.6 Special Precautions for User			
None			

15. REGULATORY INFORMATION

This safety data sheet complies with the requirements of WHMIS (Canada), OSHA 1910.1200 (US), and EU Regulation EC No. 1907/2006 (European Union).

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

<u>A) Canada</u>

DSL/NDSL Status: This product or a component of this product is registered on the Canadian DSL/NDSL.

B) United States

TSCA Status: This product or a component is listed on the US EPA TSCA.

C) European Union

ECHA Status: This product or a component is registered with the EU ECHA.

15.2 Chemical Safety Assessment

No data available

16. OTHER INFORMATION

16.1 Revision History

Original Publication Date: 11/21/2014

16.2 List of Abbreviations

LD50	Median lethal dose of a substance required to kill 50% of a test population.
LC50	Medial lethal concentration of a substance required to kill 50% of a test population.
LDLo	Lowest known lethal dose
TDLo	Lowest known toxic dose
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances

16.3 Further Information

Copyright 2015. Toronto Research Chemicals Inc. Copies may be made for internal use only. The above information is believed to be correct to the best of our knowledge, but is to be only used as a guide. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Please take all due care when handling this product.