

Safety Data Sheet - Version 5.0

Preparation Date 7/22/2015

Me

M Me

Latest Revision Date (If Revised) 2/12/2020

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Chemical Name 2-Methyl-2-butene, Technical Grade 90%

M294975 Catalogue #

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Product Uses To be used only for scientific research and development. Not for use in humans or animals.

1.3 Details of the Supplier of the Safety Data Sheet

Toronto Research Chemicals Company

> 2 Brisbane Road Toronto, ON M3J 2J8

CANADA

Telephone +14166659696 **FAX** +14166654439

Email orders.trc@lgcgroup.com

1.4 Emergency Telephone Number

Emergency# +1(416) 665-9696 between 0800-1700 (GMT-5)

2. HAZARDS IDENTIFICATION

2.1/2.2 Classification of the Substance or Mixture and Label Elements

GHS Hazards Classification (According to EU Regulation 1272/2008 and US OSHA 1910.1200)

Flammable Liquids (Category 1)

Acute Toxicity, Oral (Category 4)

Aspiration Hazard (Category 1)

Germ Cell Mutagenicity (Category 2)

Specific Target Organ Toxicity, Single Exposure; Central nervous system (Category 3)

Hazardous to the Aquatic Environment, Acute Hazard (Category 2)

Hazardous to the Aquatic Environment, Long-Term Hazard (Category 2)

GHS Hazards Identification (According to EU Regulation 1272/2008 and US OSHA 1910.1200)

Signal Word Danger







GHS Hazard Statements

H411

H224 Extremely flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H341 Suspected of causing genetic defects. H336 May cause drowsiness or dizziness.

H401 Toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

GHS Precautionary Statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301/P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P304/P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P308/P313 IF exposed or concerned: Get medical advice/attention.

2.3 Unclassified Hazards/Hazards Not Otherwise Classified

No data available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Molecular Formula: C□H□□ Molecular Weight: 70.13

CAS Registry #: 513-35-9 **EC#:** 208-156-3

Synonyms

1,1,2-Trimethylethylene; 2-Methyl-2-butylene; 3-Methyl-2-butene; Amylene; NSC 74118; Trimethylethene; Trimethylethylene; β-

Isoamylene

3.2 Mixtures

Not a mixture.

4. FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice

If medical attention is required, show this safety data sheet to the doctor.

If Inhaled

If inhaled, move person to fresh air. If not breathing, give artificial respiration and consult a physician.

In Case of Skin Contact

Wash affected area with soap and water. Consult a physician if any exposure symptoms are observed.

In Case of Eye Contact

Immediately rinse eyes with plenty of water for at least 15 minutes. Consult a physician.

If Swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Do NOT induce vomiting unless advised to do so by a physician or Poison Control Center. Seek medical attention.

4.2 Most Important Symptoms and Effects, Both Acute and Delayed

The most important known symptoms and effects are described in the labeling (see section 2.2) and/or section 11.

4.3 Indication of any Immediate Medical Attention and Special Treatment Needed

No data available.

5. FIREFIGHTING MEASURES

5.1 Extinguishing Media

Dry powder

5.2 Special Hazards Arising from the Substance or Mixture

Carbon oxides

5.3 Advice for Firefighters

Wear self contained breathing apparatus for fire fighting if necessary. Use personal protection equipment.

5.4 Further Information

No data available.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Use recommended personal protective equipment (see Section 8). Adequate ventilation must be provided to ensure vapours or mists are not inhaled. Vapours are heavier than air and may accumulate in low areas. All sources of ignition, including sources of static discharge, must be removed from area.

6.2 Environmental Precautions

Material should not be allowed to enter the environment. Prevent further spillage or discharge into drains, if safe to do so.

6.3 Methods and Materials for Containment and Cleaning Up

Contain the spill and then collect using non-combustible absorbent material (such as clay, diatomaceous earth, vermiculite or other appropriate material). Place material in a suitable, sealable container and then dispose according to local/national regulations and guidance (see Section 13).

6.4 Reference to Other Sections

For protective equipment, refer to Section 8. For disposal, see Section 13.

7. HANDLING AND STORAGE

7.1 Precautions for Safe Handling

Avoid contact with skin and eyes. Ventilation and proper handling are to be used to prevent the formation of vapours and mists. Remove all sources of ignition and take precautionary measures to prevent the buildup of electrostatic discharge (ground and bond containers as appropriate). No smoking, eating or drinking around this material. Wash hands after use.

7.2 Conditions for Safe Storage, Including any Incompatibilities

Ensure container is kept securely closed before and after use. Keep in a well ventilated area and do not store with strong oxidizers or other incompatible materials (see Section 10).

Storage conditions: 4°C, Inert atmosphere

7.3 Specific End Uses

For scientific research and development only. Not for use in humans or animals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

Contains no components with established occupational exposure limits.

8.2 Exposure Controls

Appropriate Engineering Controls

A laboratory fumehood or other appropriate form of local exhaust ventilation should be used to avoid exposure.

Personal Protective Equipment

All recommendations below are advisory in nature and a risk assessment should be performed by the employer/end user prior to use of this product. The type of protective equipment must be selected based on the amount and concentration of the dangerous material being used in the workplace.

Eye/Face Protection

Safety glasses or safety goggles. All equipment should have been tested and approved under appropriate standards, such as NIOSH (US), CSA (Canada), or EN 166 (EU).

Skin Protection

Gloves should be used when handling this material. Gloves are to be inspected prior to use. Contaminated gloves are to be removed using proper glove removal technique so that the outer surface of the glove does not contact bare skin. Dispose of contaminated gloves after use in compliance with good laboratory practices and local requirements.

Gloves used for incidental exposures (splash protection) should be designated as "low chemical resistant" or "waterproof" by EU standard EN 374. Unrated gloves are not recommended.

Suggested gloves: AnsellPro nitrile gloves style 92-500 or 92-600, 5 mil thickness.

Penetration time has not been determined.

Gloves used for prolonged direct exposure (immersion) should be designated "chemical resistant" as per EN 734 with the resistance codes corresponding to the anticipated use of the material.

Suggested gloves: AnsellPro Viton/Butyl gloves style 38-612, 4/8 mil thickness.

Penetration time has not been determined.

These recommendations may not apply if the material is mixed with any other chemical, or dissolved into a solution. A risk assessment must be performed to ensure the gloves will still offer acceptable protection.

Body Protection

Fire resistant (Nomex) lab coat or coveralls.

Respiratory Protection

Recommended respirators are NIOSH-approved OV/Multi-Gas/P95 or CEN-approved ABEK-P2 respirators. These are to be only used as a backup to local exhaust ventilation or other engineering controls. If the respirator is the only means of protection, a full-

9. PHYSICAL AND CHEMICAL PROPERTIES

B) Odour

D) pH

No data available

T) Oxidizing Properties

No data available

L) Vapour Density

N) Solubility

R) Viscosity

H) Evaporation Rate No data available

F) Initial Boiling Point/Boiling Range

Chloroform, Methanol (Slightly)

P) Auto-Ignition Temperature

J) Upper/Lower Flammability/Explosive Limits

9.1 Information on Basic Physical and Chemical Properties

A) Appearance

Clear Colourless Liquid

C) Odour Threshold

No data available

E) Melting Point/Freezing Point

No Data Available

G) Flash point

-20 °C (-4 °F)

I) Flammability (Solid/Gas)

No data available

K) Vapour Pressure

No data available

M) Relative Density

No data available

O) Partition Coefficient: n-octanol/water

No data available

Q) Decomposition Temperature

No data available

S) Explosive Properties

No data available

9.2 Other Information no data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available.

10.2 Chemical Stability

Stable under recommended storage conditions.

10.3 Possibility of Hazardous Reactions

Vapours may form explosive mixture with air.

10.4 Conditions to Avoid

Heat, flames and sparks.

10.5 Incompatible Materials

Strong oxidizing agents.

10.6 Hazardous Decomposition Products

In the event of fire: See section 5. Other decomposition products: No data available.

11. TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects

A) Acute Toxicity

No data available

B) Skin Corrosion/Irritation

No data available

C) Serious Eye Damage/Irritation

No data available

D) Respiratory or Skin Sensitization

No data available

E) Germ Cell Mutagenicity

Possible human mutagen. Laboratory results have shown mutagenicity in several model systems.

F) Carcinogenicity

No data available

G) Reproductive Toxicity/Teratogenicity

No data available

H) Single Target Organ Toxicity - Single Exposure

No data available

I) Single Target Organ Toxicity - Repeated Exposure

No data available

J) Aspiration Hazard

May be fatal if swallowed and enters airways.

K) Potential Health Effects and Routes of Exposure

Inhalation

May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion

Harmful if swallowed. Aspiration hazard - can enter lungs and cause damage.

Qkir

May be harmful if absorbed through skin. May cause skin irritation.

Eves

May cause eye irritation.

L) Signs and Symptoms of Exposure

The most important known symptoms and effects are described in the labeling (see section 2.2) and/or section 11.

To the best of our knowledge, the chemical, physical, and toxicological properties of this material have not been thoroughly investigated.

M) Additional Information

RTECS: EM7580000

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish: semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - 4.99 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates: static test LC50 - Daphnia magna (Water flea) - 3.84 mg/l - 48 h

Toxicity to algae: static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 13.2 mg/l - 96 h;

static test NOEC - Pseudokirchneriella subcapitata (green algae) - 7.22 mg/l - 96 h

12.2 Persistance and Degradability

Biodegradability: aerobic - Exposure time 28 d

Result: 7 % - Not readily biodegradable.

12.3 Bioaccumulative Potential

No data available.

12.4 Mobility in Soil

No data available.

12.5 Results of PBT and vPvB Assessment

No data available.

12.6 Other Adverse Effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods

A) Product

Product may be burned in an incinerator equipped with afterburner and scrubber. Excess and expired materials are to be offered to a licensed hazardous material disposal company. Ensure that all Federal and Local regulations regarding the disposal and destruction of this material are followed.

B) Contaminated Packaging

Dispose of as above.

C) Other Considerations

Product is not to be disposed of in sanitary sewers, storm sewers, or landfills.

14. TRANSPORT INFORMATION

14.1 UN Number

DOT (US): UN2460 IATA: UN2460 IMDG: UN2460 ADR/RID: UN2460

14.2 UN Proper Shipping Name

DOT (US)/IATA:

2-Methyl-2-butene

IMDG/ARD/RID:

2-METHYL-2-BUTENE

14.3 Transport Hazard Class(es)

DOT (US): 3 IATA: 3 IMDG: 3 ADR/RID: 3

14.4 Packing Group

DOT (US): II IATA: II IMDG: II ADR/RID: II

14.5 Environmental Hazards

DOT (US): None IATA: None IMDG: None ADR/RID: None

14.6 Special Precautions for User

None

15. REGULATORY INFORMATION

This safety data sheet complies with the requirements of WHMIS (Canada), OSHA 1910.1200 (US), and EU Regulation EC No. 1907/2006 (European Union).

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

A) Canada

DSL/NDSL Status: This product or a component of this product is registered on the Canadian DSL/NDSL.

B) United States

TSCA Status: This product or a component is listed on the US EPA TSCA.

C) European Union

ECHA Status: This product or a component is registered with the EU ECHA.

15.2 Chemical Safety Assessment

No data available

16. OTHER INFORMATION

16.1 Revision History

Original Publication Date: 7/22/2015

16.2 List of Abbreviations

LD50 Median lethal dose of a substance required to kill 50% of a test population.

LC50 Medial lethal concentration of a substance required to kill 50% of a test population.

LDLo Lowest known lethal dose TDLo Lowest known toxic dose

IARC International Agency for Research on Cancer

NTP National Toxicology Program

RTECS Registry of Toxic Effects of Chemical Substances

16.3 Further Information

Copyright 2015. Toronto Research Chemicals Inc. Copies may be made for internal use only. The above information is believed to be correct to the best of our knowledge, but is to be only used as a guide. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Please take all due care when handling this product.